

Section 12

Clips and Clamps

	<u>Page No</u>
Jubilee Worm Drive Clips NEW	320
Worm Drive Clips	321
Stainless Steel Clips	321
1-Ear Clamps	322
2-Ear Clamps	322
Cobra Stainless Steel Clips	323
Plastic Clips	323
Screw Clips	324
'P' Clips	324
Unex Clips	325
Heavy Duty Clamps	326
Two-Bolt Saddle Clamps	326
Air King Clamps	326
Band-It Band	327
Band-It Ear-Lokt Buckles	327
Hand Tools for Band-It Clamps	327
Band-It Jr. Smooth ID Clamps	328
Scru-Band	328
Plastic Tube Clamps	329

JUBILEE WORM DRIVE HOSE CLIPS



ZINC PLATED MILD STEEL WORM DRIVE HOSE CLIPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
J 000	9 mm	9.5-12 mm	10	£ 0.40
J MOO	9 mm	11-16 mm	10	£ 0.40
J OO	9 mm	13-20 mm	10	£ 0.40
J O	13 mm	16-22 mm	10	£ 0.44
J OX	13 mm	18-25 mm	10	£ 0.44
J 1A	13 mm	22-30 mm	10	£ 0.47
J 1	13 mm	25-35 mm	10	£ 0.49
J 1X	13 mm	30-40 mm	10	£ 0.51
J 2A	13 mm	35-50 mm	10	£ 0.53
J 2	13 mm	40-55 mm	10	£ 0.53
J 2X	13 mm	45-60 mm	10	£ 0.58
J 3	13 mm	55-70 mm	10	£ 0.64
J 3X	13 mm	60-80 mm	10	£ 0.67
J 4	13 mm	70-90 mm	10	£ 0.70
J 4X	13 mm	85-100 mm	10	£ 0.78
J 5	13 mm	90-120 mm	10	£ 0.98
J 6	13 mm	110-140 mm	10	£ 0.99
J 6X	13 mm	120-150 mm	10	£ 1.02
J 7	13 mm	135-165 mm	10	£ 1.08



STAINLESS STEEL WORM DRIVE HOSE CLIPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
J 00OSS	9 mm	9.5-12 mm	10	£ 1.03
J MOOSS	9 mm	11-16 mm	10	£ 1.03
J OOSS	9 mm	13-20 mm	10	£ 1.03
J OSS	13 mm	16-22 mm	10	£ 1.12
J OXSS	13 mm	18-25 mm	10	£ 1.14
J 1ASS	13 mm	22-30 mm	10	£ 1.19
J 1SS	13 mm	25-35 mm	10	£ 1.22
J 1XSS	13 mm	30-40 mm	10	£ 1.25
J 2ASS	13 mm	35-50 mm	10	£ 1.39
J 2SS	13 mm	40-55 mm	10	£ 1.46
J 2XSS	13 mm	45-60 mm	10	£ 1.54
J 3SS	13 mm	55-70 mm	10	£ 1.65
J 3XSS	13 mm	60-80 mm	10	£ 1.76
J 4SS	13 mm	70-90 mm	10	£ 1.82
J 4XSS	13 mm	85-100 mm	10	£ 1.90
J 5SS	13 mm	90-120 mm	10	£ 2.12
J 6SS	13 mm	110-140 mm	10	£ 2.32
J 6XSS	13 mm	120-150 mm	10	£ 2.49
J 7SS	13 mm	135-165 mm	10	£ 2.69



CLIPDRIVER		
PART NO.	DESCRIPTION	PRICE
JCD95	95 mm Hexagonal Clipdriver	£ 5.75
JCD160	160 mm Hexagonal Clipdriver	£ 5.75
For Flexible Driver See Page 321		



WORKSHOP PACK		
PART NO.	DESCRIPTION	PRICE
J HCP143	143 Assorted Jubilee mild steel clips	£ 60.95

GEMI WORM DRIVE HOSE CLIPS

STAINLESS STEEL BAND HOUSING SCREW

The Gemi worm drive clip is a multi-application hose clip that performs well in excess of that required by DIN 3017.

- UNIFORMED HOSE SEALING · WIDE CLAMPING RANGE · GENTLE ON THE HOSE



WORM DRIVE HOSE CLIPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
HC8-12/W2	9 mm	8-12 mm	10	£ 0.28
HC10-16/W2	9 mm	10-16 mm	10	£ 0.29
HC12-20/W2	9 mm	12-20 mm	10	£ 0.30
HC16-25/W2	9 mm	16-25 mm	10	£ 0.39
HC20-32/W2	12 mm	20-32 mm	10	£ 0.41
HC25-40/W2	12 mm	25-40 mm	10	£ 0.42
HC32-50/W2	12 mm	32-50 mm	10	£ 0.45
HC40-60/W2	12 mm	40-60 mm	10	£ 0.46
HC50-70/W2	12 mm	50-70 mm	10	£ 0.50
HC60-80/W2	12 mm	60-80 mm	10	£ 0.53
HC70-90/W2	12 mm	70-90 mm	10	£ 0.66
HC80-100/W2	12 mm	80-100 mm	10	£ 0.74
HC90-110/W2	12 mm	90-110 mm	10	£ 0.77
HC100-120/W2	12 mm	100-120 mm	10	£ 0.81
NF7	FLEXIBLE SCREWDRIVER 7mm A/F			£12.80

NORMA EXTRA HIGH TORQUE HOSE CLAMP - ALL STAINLESS STEEL FOOD QUALITY

The Norma Extra High Torque Worm Drive Clamps, because of the high tightening force, are suitable for heavy duty and higher pressure applications. Can be used with PVC and rubber suction / discharge hoses.

- EXTRA ROBUST CONSTRUCTION · EXTENDED BRIDGE · WIDE CLAMPING RANGE



EXTRA HIGH TORQUE HOSE CLAMPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
EX25W4	16 mm	25-45 mm	1	£ 3.60
EX32W4	16 mm	32-54 mm	1	£ 3.60
EX45W4	16 mm	45-67 mm	1	£ 3.68
EX57W4	16 mm	57-79 mm	1	£ 3.81
EX70W4	16 mm	70-92 mm	1	£ 3.86
EX83W4	16 mm	83-105 mm	1	£ 3.99
EX95W4	16 mm	95-118 mm	1	£ 3.99
EX108W4	16 mm	108-130 mm	1	£ 4.21
EX121W4	16 mm	121-143 mm	1	£ 4.50
EX133W4	16 mm	133-156 mm	1	£ 4.60
EX146W4	16 mm	146-168 mm	1	£ 4.69
EX159W4	16 mm	159-181 mm	1	£ 4.85
NF8	FLEXIBLE SCREWDRIVER 8mm A/F			£19.94

1-EAR-CLAMP

The steel zinc-plated 1-EAR-CLAMP is fitted with a stainless steel insert ring. This clamp can solve difficult problems and seal hoses simply and economically. It can be used for sealing smooth and soft hoses, also extremely hard hose material. The insert ring completely protects the hose from damage.

- COMES COMPLETE WITH INSERT RING · PREVENTS HOSE FROM PINCHING



1 EAR CLAMPS				
PART NO	BAND WIDTH	THEORETICAL CLAMPING RANGE	PACK QTY.	PRICE EACH
OET09.0GER	7.4 mm	7.0-8.5 mm	10	£ 0.27
OET10.0GER	7.4 mm	8.0-9.5 mm	10	£ 0.27
OET11.0GER	7.4 mm	8.8-10.5 mm	10	£ 0.28
OET12.0GER	7.4 mm	9.5-11.5 mm	10	£ 0.29
OET12.3GER	7.4 mm	9.8-11.8 mm	10	£ 0.29
OET12.8GER	7.4 mm	10.3-12.3 mm	10	£ 0.29
OET13.3GER	8.2 mm	10.6-12.6 mm	10	£ 0.29
OET13.8GER	8.2 mm	11.1-13.1 mm	10	£ 0.30
OET14.0GER	8.2 mm	11.3-13.3 mm	10	£ 0.30
OET15.0GER	8.2 mm	12.3-14.3 mm	10	£ 0.31
OET15.5GER	8.2 mm	12.8-14.8 mm	10	£ 0.32
OET16.5GER	8.2 mm	13.2-15.8 mm	10	£ 0.32
OET17.5GER	8.2 mm	14.6-16.8 mm	10	£ 0.33
OET18.5GER	8.2 mm	15.6-17.8 mm	10	£ 0.33
OET19.5GER	8.2 mm	16.5-18.8 mm	10	£ 0.34
OET20.7GER	9.2 mm	17.1-20.0 mm	10	£ 0.34
OET21.8GER	9.2 mm	18.8-21.1 mm	10	£ 0.35
OET23.5GER	9.2 mm	20.2-22.8 mm	10	£ 0.37
OET24.5GER	9.2 mm	21.0-23.8 mm	10	£ 0.38
1098i	'O' CLIP PINCERS Normal Closing			£14.74
1099i	'O' CLIP PINCERS Side Closing			£19.34

2-EAR-CLAMPS

The 2-EAR-CLAMP is made from steel zinc plated and is suitable for fastening of low to medium pressure hoses and also metal to metal connections.

- LOW COST · SIMPLE CONNECTION · METAL TO METAL CONNECTION



2 EAR CLAMPS				
PART NO	BAND WIDTH	THEORETICAL CLAMPING RANGE	PACK QTY.	PRICE EACH
OET-0305	5.0 mm	3.0-5.0 mm	10	£ 0.18
OET-0507	6.0 mm	5.0-7.0 mm	10	£ 0.19
OET-0709	7.0 mm	7.0-9.0 mm	10	£ 0.19
OET-0811	7.0 mm	8.0-11.0 mm	10	£ 0.21
OET-0911	7.0 mm	9.0-11.0 mm	10	£ 0.21
OET-1113	7.0 mm	11.0-13.0 mm	10	£ 0.22
OET-1315	7.5 mm	13.0-15.0 mm	10	£ 0.23
OET-1517	8.0 mm	15.0-17.0 mm	10	£ 0.24
OET-1518	8.0 mm	15.0-18.0 mm	10	£ 0.24
OET-1720	8.5 mm	17.0-20.0 mm	10	£ 0.25
OET-1922	9.0 mm	19.0-22.0 mm	10	£ 0.34
OET-2023	9.0 mm	20.0-23.0 mm	10	£ 0.35
OET-2225	10.0 mm	22.0-25.0 mm	10	£ 0.37
OET-2327	10.0 mm	23.0-27.0 mm	10	£ 0.40
OET-2528	10.0 mm	25.0-28.0 mm	10	£ 0.40
OET-2831	10.0 mm	28.0-31.0 mm	10	£ 0.43
OET-3134	10.0 mm	31.0-34.0 mm	10	£ 0.45
OET-3437	10.0 mm	34.0-37.0 mm	10	£ 0.46
OET-3740	10.0 mm	37.0-40.0 mm	10	£ 0.48
1098i	'O' CLIP PINCERS Normal Closing			£14.74
1099i	'O' CLIP PINCERS Side Closing			£19.34

COBRA EASY-FIT STAINLESS STEEL HOSE CLIPS

The COBRA one-piece hose clip is a reliable connector for hose/pipe systems in automotive and industrial applications. Because of its low profile, the COBRA hose clip is suitable, for example, for attaching bellows on gaiters and has many uses in the food and drink processing industries.

- FAST ASSEMBLY · REUSABLE · LOW PROFILE DESIGN



COBRA EASY-FIT STAINLESS STEEL HOSE CLIPS				
PART NO.	BAND WIDTH	HOSE OD	PACK QTY.	PRICE EACH
COB7.5	7 mm	8.0-9.0 mm	10	£ 0.32
COB8.0	7 mm	8.5-9.5 mm	10	£ 0.32
COB8.5	7 mm	9.0-10.0 mm	10	£ 0.32
COB9.0	7 mm	9.5-10.5 mm	10	£ 0.32
COB9.5	7 mm	10.0-11.0 mm	10	£ 0.32
COB10.0	7 mm	10.5-11.5 mm	10	£ 0.33
COB10.5	7 mm	11.0-12.0 mm	10	£ 0.33
COB11.0	7 mm	11.5-12.5 mm	10	£ 0.33
COB11.5	7 mm	12.0-13.0 mm	10	£ 0.33
COB12	8 mm	12.5-14.0 mm	10	£ 0.34
COB13	8 mm	13.5-15.0 mm	10	£ 0.34
COB14	8 mm	14.5-16.0 mm	10	£ 0.34
COB15	8 mm	15.5-17.0 mm	10	£ 0.35
COB16	8 mm	16.5-18.0 mm	10	£ 0.36
COB17	8 mm	17.5-19.0 mm	10	£ 0.36
COB18	8 mm	18.5-20.0 mm	10	£ 0.37
COB19	8 mm	19.5-21.0 mm	10	£ 0.37
COBRA-HT	TIGHTENING TOOL			£26.55

SNP PLASTIC CLIPS

The SNP range is made from a black acetal material and is resistant to most chemicals, particularly oils, petrol and strong alkalis. The clips have a high degree of strength and offer excellent electrical insulation properties.

- REUSEABLE · EASY TO FIT AND REMOVE · LOW COST



PLASTIC CLIPS			
PART NO.	CLAMPING RANGE	PACK QTY	PRICE EACH
SNP1B	5.80-6.50 mm	10	£ 0.27
SNP1.5B	7.80-8.70 mm	10	£ 0.27
SNP2B	8.70-10.00 mm	10	£ 0.28
SNP3B	10.00-11.40 mm	10	£ 0.28
SNP4B	10.80-12.30 mm	10	£ 0.29
SNP6B	12.00-13.70 mm	10	£ 0.29
SNP8B	13.70-15.30 mm	10	£ 0.31
SNP10B	15.00-16.80 mm	10	£ 0.38
SNP12B	16.80-18.40 mm	10	£ 0.38
SNP14B	18.10-19.90 mm	10	£ 0.38
SNP16B	19.90-21.70 mm	10	£ 0.38
SNP20B	22.70-24.70 mm	10	£ 0.39
SNP22B	25.30-27.30 mm	10	£ 0.43
SNP24B	26.50-28.60 mm	10	£ 0.43
SNP32B	30.30-33.10 mm	10	£ 0.43

Tooling available

SCREW CLIPS

The SL SCREW CLIP is ideal for low pressure hose applications. The mild steel zinc plated clip has a non-perforated band which eliminates any risk of damage to the hose, and all sizes will close to a perfect circle, while the uniform circumferential pressure obtained ensures maximum sealing efficiency.

· IDEAL FOR LOW PRESSURE FUEL HOSE · ONE PIECE CLIP DESIGN



SCREW CLIPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
SL7-9SZW	9 mm	7-9 mm	10	£ 0.32
SL8-10SZW	9 mm	8-10 mm	10	£ 0.32
SL9-11SZW	9 mm	9-11 mm	10	£ 0.32
SL10-12SZW	9 mm	10-12 mm	10	£ 0.32
SL11-13SZW	9 mm	11-13 mm	10	£ 0.32
SL12-14SZW	9 mm	12-14 mm	10	£ 0.32
SL13-15SZW	9 mm	13-15 mm	10	£ 0.32
SL14-16SZW	9 mm	14-16 mm	10	£ 0.32
SL15-17SZW	9 mm	15-17 mm	10	£ 0.32
SL16-18SZW	9 mm	16-18 mm	10	£ 0.32
SL17-19SZW	9 mm	17-19 mm	10	£ 0.32
SL18-20SZW	9 mm	18-20 mm	10	£ 0.32
SL19-21SZW	9 mm	19-21 mm	10	£ 0.34

'P' CLIPS

The PIPE RETAINING CLIP in accordance with DIN3016 is a versatile fastening system for securing pipes, cables and cable harnesses, cable ducts, hoses and other flowlines. Made from mild steel zinc plated with polychloroprene sleeve, they are used in almost all sectors of industry. In the automotive industry, mechanical engineering, hydraulics and pneumatics.

·MEETS HIGH REQUIREMENTS OF AUTOMOTIVE INDUSTRY



'P' CLIPS				
PART NO.	BAND WIDTH	PIPE OD	PACK QTY.	PRICE EACH
RSGU-1/6	15 mm	6 mm	10	£ 0.46
RSGU-1/8	15 mm	8 mm	10	£ 0.46
RSGU-1/10	15 mm	10 mm	10	£ 0.46
RSGU-1/12	15 mm	12 mm	10	£ 0.46
RSGU-1/14	15 mm	14 mm	10	£ 0.46
RSGU-1/16	15 mm	16 mm	10	£ 0.46
RSGU-1/18	15 mm	18 mm	10	£ 0.46
RSGU-1/20	15 mm	20 mm	10	£ 0.46
RSGU-1/22	15 mm	22 mm	10	£ 0.54
RSGU-1/25	15 mm	25 mm	10	£ 0.54
RSGU-1/28	15 mm	28 mm	10	£ 0.54
RSGU-1/30	15 mm	30 mm	10	£ 0.54
RSGU-1/32	15 mm	32 mm	10	£ 0.66
RSGU-1/35	15 mm	35 mm	10	£ 0.66

UNEX CLIPS

The superior design of the UNEX hose clip gives it advantages over other hose clips in the market. The UNEX will seal high pressures. The standard material specification includes a stainless steel 304 band with a brass screw and bush. The standard H type has a stainless steel 304 hexagonal cap in addition. This material combination is durable and rust proof. Hose life is often improved due to low friction inner band. Ideal for use with soft tubing eg. silicone, PVC, polypropylene.

- SEALS HIGH PRESSURE
- IMPROVED HOSE LIFE
- LOW FRICTION



UNEX CLIPS - 'D' TYPE		
PART NO.	CLAMPING RANGE	PRICE
UNI-10-D	7.4-10.0 mm	£ 0.71
UNI-12-D	9.0-12.0 mm	£ 0.71
UNI-14-D	9.6-14.0 mm	£ 0.71
UNI-17-D	12.2-17.0 mm	£ 0.71
UNI-19-D	14.0-19.0 mm	£ 0.71
UNI-21-D	15.5-21.0 mm	£ 0.71
UNI-22-D	17.3-22.0 mm	£ 0.71
UNI-25-D	19.8-25.0 mm	£ 0.71
UNI-27-D	21.8-27.0 mm	£ 0.78
UNI-30-D	25.0-30.0 mm	£ 0.78
UNEX/D	SCREWDRIVER DESIGNED FOR UNEX CLIPS TYPE 'D' WITH SCREW SLOT HEAD	£17.96



UNEX CLIPS - 'H' TYPE		
PART NO.	CLAMPING RANGE	PRICE
UNI-10-H	7.4-10.0 mm	£ 0.87
UNI-12-H	9.0-12.0 mm	£ 0.87
UNI-14-H	9.6-14.0 mm	£ 0.87
UNI-17-H	12.2-17.0 mm	£ 0.87
UNI-19-H	14.0-19.0 mm	£ 0.87
UNI-21-H	15.5-21.0 mm	£ 0.87
UNI-22-H	17.3-22.0 mm	£ 0.87
UNI-25-H	19.8-22.0 mm	£ 0.95
UNI-27-H	21.8-27.0 mm	£ 0.95

TYPE 'H' WITH STAINLESS STEEL CAP

HEAVY DUTY HOSE CLAMPS

The GBS bolt clamps in accordance with DIN3017 are especially suitable for sealing suction and pressure hoses which have plastic or steel reinforcements.

- WIDE CLAMPING RANGE · HIGH TIGHTENING FORCES · SEVERAL BAND WIDTHS



HEAVY DUTY HOSE CLAMPS				
PART NO.	BAND WIDTH	CLAMPING RANGE	PACK QTY.	PRICE EACH
GBS42/15	15 mm	40-43 mm	1	£ 1.74
GBS46/20	20 mm	44-47 mm	1	£ 1.94
GBS50/20	20 mm	48-51 mm	1	£ 1.97
GBS54/20	20 mm	52-55 mm	1	£ 2.02
GBS58/20	20 mm	56-59 mm	1	£ 2.07
GBS62/20	20 mm	60-63 mm	1	£ 2.12
GBS66/20	20 mm	64-67 mm	1	£ 2.16
GBS70/25	25 mm	68-73 mm	1	£ 2.69
GBS76/25	25 mm	74-79 mm	1	£ 2.73
GBS82/25	25 mm	80-85 mm	1	£ 2.78
GBS88/25	25 mm	86-91 mm	1	£ 2.82
GBS94/25	25 mm	92-97 mm	1	£ 2.87
GBS100/25	25 mm	98-103 mm	1	£ 2.91
GBS108/25	25 mm	104-112 mm	1	£ 3.39
GBS117/25	25 mm	113-121 mm	1	£ 3.38
GBS126/25	25 mm	122-130 mm	1	£ 3.58
GBS135/25	25 mm	131-139 mm	1	£ 4.86
GBS144/30	30 mm	140-148 mm	1	£ 4.96
GBS155/30	30 mm	149-161 mm	1	£ 5.07
GBS168/30	30 mm	162-174 mm	1	£ 5.16

TWO-BOLT SADDLE CLAMPS - MALLEABLE IRON


TWO-BOLT SADDLE CLAMPS			
PART NO.	HOSE OD RANGE mm	PACK QTY.	PRICE EACH
TSC25	17 - 22	1	£ 2.61
TSC31	22 - 29	1	£ 2.61
TSC34	27 - 32	1	£ 1.88
TSC37	32 - 37	1	£ 4.68
TSC1305	39 - 49	1	£ 3.16
TSC1306	48 - 60	1	£ 3.34
TSC1307	60 - 76	1	£ 3.83
TSC1308	77 - 94	1	£ 6.69
TSC1309	94 - 115	1	£ 8.37

AIR KING CLAMPS - PLATED MALLEABLE IRON


AIR KING CLAMPS				
PART NO.	SIZE Inches	HOSE OD RANGE mm	PACK QTY.	PRICE EACH
CD	3/8	17.9 - 22.2	1	£ 4.86
A4	1/2	12.7 - 25.7	1	£ 4.15
A9	3/4	28.2 - 32.9	1	£ 4.94
A10	7/8	32.9 - 37.7	1	£ 8.30
A14	1	37.7 - 45.6	1	£10.48

BAND-IT BAND

BAND-IT Band in Type 201 stainless steel has been the industry standard for over 60 years with its superior yield and tensile strength properties for maximum clamping strength. All BAND-IT sizes feature fully rounded smooth edges for safety and easy installation. For clamps of even greater strength, use a double wrap, threading the Ear-Lokt Buckle each time round. Easy Scale - a patented imprint right on the band - eliminates costly waste and complicated measuring by allowing users to quickly and precisely roll out the exact length of band needed for any clamp.



BAND-IT TOTES			
PART NO.	BAND WIDTH	TOTE COLOUR	PRICE PER ROLL
C204B	1/2" / 12.70 mm	Blue	£35.39
C206R	3/4" / 19.05 mm	Red	£49.20
100 Ft. Per Roll (30.5M)			

BAND-IT EAR-LOKT BUCKLES

Ear-Lokt Buckles in Type 201 stainless steels are designed to accommodate both single and double wrap clamps. The unique teeth and ears provide for maximum clamping strength.



BAND-IT EAR-LOKT BUCKLES		
PART NO.	WIDTH	PRICE EACH
C254	1/2" / 12.70 mm	£ 0.19
C256	3/4" / 19.05 mm	£ 0.31

HAND TOOLS FOR BAND-IT CLAMPS

A drop forged tool with tensioning capability of over 2,400 lbs and a built-in cutter. New improved features include:

- A spring loaded gripper lever for improved band tensioning
- A friction held cutoff lever with plastic grip for easier operation
- A blue, epoxy powder coated finish virtually impervious to impact, chemicals and corrosive elements
- A spin handle retaining ring to keep parts intact. The BAND-IT Tool is used to apply BAND-IT Bands and Buckles, strapping and Free-End clamps



HAND TOOLS FOR BAND-IT CLAMPS		
PART NO.	DESCRIPTION	PRICE EACH
C001	BAND-IT Tool	£90.74
J001	BAND-IT Jr. Adaptor (Use with C001 Tool)	£117.86
J050	Heavy Duty Jr. Adaptor (Use with C001 Tool)	£154.51
Both adaptors are for use with the BAND-IT Tool to apply BAND-IT Jr. Preformed clamps		

**BAND-IT JR. SMOOTH ID CLAMPS**

As industrial hose made of stiffer, thinner, thermoplastics replace soft, spongy, thick-walled rubber, a new generation of hose clamps has been developed to prevent leak problems. The BAND-IT Jr. Smooth ID Clamp is manufactured in a wide variety of widths, sizes and materials that provide a uniform, gap-free, inside diameter with strong holding power.



BAND-IT JR. SMOOTH ID CLAMPS			
PART NO.	BAND WIDTH	CLAMP ID	PRICE EACH
JS201	3/8" / 9.5 mm	13/16" / 20.6 mm	£ 0.47
JS202	3/8" / 9.5 mm	1.3/8" / 34.9 mm	£ 0.50
JS203	1/2" / 12.7 mm	1" / 25.4 mm	£ 0.68
JS204	1/2" / 12.7 mm	1.1/4" / 31.8 mm	£ 0.76
JS205	5/8" / 15.9 mm	1.1/2" / 38.1 mm	£ 0.89
JS206	5/8" / 15.9 mm	1.3/4" / 44.5 mm	£ 0.98
JS207	5/8" / 15.9 mm	2" / 50.8 mm	£ 1.08
JS208	5/8" / 15.9 mm	2.1/4" / 57.2 mm	£ 1.14
JS209	5/8" / 15.9 mm	2.1/2" / 63.5 mm	£ 1.15
JS210	3/4" / 19.1 mm	2.3/4" / 69.9 mm	£ 1.51
JS211	3/4" / 19.1 mm	3" / 76.2 mm	£ 1.61
JS212	3/4" / 19.1 mm	3.1/2" / 88.9 mm	£ 1.68
JS213	3/4" / 19.1 mm	4" / 101.6 mm	£ 1.94
JS214	3/4" / 19.1 mm	4.1/2" / 114.3 mm	£ 2.04
JS215	3/4" / 19.1 mm	5" / 127.0 mm	£ 2.24

SCRU-BAND

A reusable band clamp with continuous roll-formed teeth and a patented side load housing for fast, easy, no-slip clamps of any diameter - from 1" to 30 feet and more - from one kit. Work right out of box without critical measuring waste using only a screwdriver for tensioning. Fast take-up, fewer components and simple 1-2-3 installation procedure for faster clamping. Smooth ID band prevents material from squeezing through. 100% stainless steel construction for strong, corrosion free durability.



SCRUBAND		
PART NO.	CONTENTS	PRICE EACH
M156	100ft / 30.5M Scru-Band 25 Housings, 25 Screws	£118.27
M157	50ft / 15.25M Scru-Band 10 Housings, 10 Screws	£67.46
M158	10ft / 3.5M Scru-Band 5 Housings, 5 Screws	£30.02

Both clamp halves are identical. Ribs in the bore impact on tube damp vibration and provide strength in direction of the tube axis. This ensures a high degree of sound deadening. Made of polypropylene -30°C to +90°C



SINGLE TUBE CLAMP - SERIES A



PART NO.	TUBE OD METRIC	TUBE OD N.B.	PRICE
EORAP3-106	6 mm		£ 1.47
EORAP3-108	8 mm		£ 1.47
EORAP3-110	10 mm		£ 1.52
EORAP3-112	12 mm		£ 1.52
EORAP3-1R18	10.2 mm	1/8"	£ 1.52
EORAP3-214	14 mm		£ 1.63
EORAP3-215	15 mm		£ 1.63
EORAP3-216	16 mm		£ 1.63
EORAP3-218	18 mm		£ 1.63
EORAP3-2R14	13.5 mm	1/4"	£ 1.63
EORAP3-2R38	17.2 mm	3/8"	£ 1.63
EORAP3-320	20 mm		£ 1.73
EORAP3-322	22 mm		£ 1.73
EORAP3-323	23 mm		£ 1.73
EORAP3-325	25 mm		£ 1.73
EORAP3-3R12	21.3 mm	1/2"	£ 1.73
EORAP3-428	28 mm		£ 2.05
EORAP3-430	30 mm		£ 2.05
EORAP3-4R34	26.9 mm	3/4"	£ 2.05
EORAP3-532	32 mm		£ 2.10
EORAP3-535	35 mm		£ 3.73
EORAP3-538	38 mm		£ 3.83
EORAP3-540	40 mm		£ 3.83
EORAP3-542	42 mm		£ 3.94

2 clamp halves with weld plate short top plate and hexagon head screws.

TWIN TUBE CLAMP - SERIES B



PART NO.	TUBE OD METRIC	PRICE
EORBP1-106	6 mm	£ 1.47
EORBP1-1064	6.4 mm	£ 1.47
EORBP1-108	8 mm	£ 2.21
EORBP1-1095	9.5 mm	£ 2.21
EORBP1-110	10 mm	£ 2.21
EORBP1-112	12 mm	£ 2.21
EORBP1-2127	12.7 mm	£ 2.63
EORBP1-2135	13.5 mm	£ 2.63
EORBP1-214	14 mm	£ 2.63
EORBP1-215	15 mm	£ 2.63
EORBP1-216	16 mm	£ 2.63
EORBP1-2172	17.2 mm	£ 2.63
EORBP1-218	18 mm	£ 2.63
EORBP1-319	19 mm	£ 3.05
EORBP1-320	20 mm	£ 3.05
EORBP1-3213	21.3 mm	£ 3.05
EORBP1-322	22 mm	£ 3.05
EORBP1-325	25 mm	£ 3.05
EORBP1-4269	26.9 mm	£ 3.05
EORBP1-428	28 mm	£ 3.47
EORBP1-430	30 mm	£ 3.47
EORBP1-532	32 mm	£ 3.47
EORBP1-5337	33.7 mm	£ 3.47
EORBP1-535	35 mm	£ 3.47
EORBP1-538	38 mm	£ 3.47
EORBP1-542	42 mm	£ 3.47

2 clamp halves with weld plate short top plate and hexagon head screws.

