

MOULD COUPLINGS

Mould Coupler 300 Series



• Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate • Plug diameter 0.530"= 13.47mm

Part No.	Description.	Price £	Part No.	Description.	Price £
Non-Valved Straight Socket			Valved Shut Off Plug		
MCH06300	3/8" Hosetail	6.76	MAV06300	3/8" BSPT Male	7.29
MCH08300	1/2" Hosetail	6.76	MAV08300	1/2" BSPT Male	8.79
MCF04300	1/4" BSPP Female	7.56			
Valved Straight Socket			Male Plug		
MCHV06300	3/8" Hosetail	11.56	MA04300	1/4" BSPT Male	0.65
MCHV08300	1/2" Hosetail	11.56	MA06300	3/8" BSPT Male	1.15
MCFV04300	1/4" BSPP Female	11.45	MA08300	1/2" BSPT Male	1.45
45° Non-Valved Socket			Female Plug		
MCH0645300	3/8" Hosetail	9.27	MF02300	1/8" BSPP Female	0.91
MCH0845300	1/2" Hosetail	9.27	MF04300	1/4" BSPP Female	0.81
			MF06300	3/8" BSPP Female	1.50
			MF08300	1/2" BSPP Female	2.75
45° Valved Socket					
MCHV0645300	3/8" Hosetail	13.93	Blanking Plug		
MCHV0845300	1/2" Hosetail	13.93	BP300	300 series plug	0.90
90° Non-Valved Socket			Hosetail Plug		
MCH0690300	3/8" Hosetail	10.48	MH04300	1/4" Hosetail	0.90
MCH0890300	1/2" Hosetail	10.48	MH05300	5/16" Hosetail	0.90
			MH06300	3/8" Hosetail	0.90
			MH08300	1/2" Hosetail	1.30
90° Valved Socket					
MCHV0690300	3/8" Hosetail	13.93			
MCHV0890300	1/2" Hosetail	13.60			
			MSEAL300	Silicone 300 Series Coupler seal	0.75

MOULD COUPLINGS

Mould Coupler 500 Series



• Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
Non-Valved Straight Socket		
MCH08500	1/2" Hosetail	14.20
MCH12500	3/4" Hosetail	14.45
Valved Straight Socket		
MCHV08500	1/2" Hosetail	21.80
MCHV12500	3/4" Hosetail	22.85
Plug		
MA08500	1/2" BSPT Male	2.05
MF08500	1/2" BSPP Female	2.05
Hosetail Plug		
MH08500	1/2" Hosetail	2.25
MH12500	3/4" Hosetail	2.70
Blanking Plug		
BP500	Plug	1.80
Mseal 500		
MSEAL500	Silicone	1.50

Mould Series Couplings



• Interchangeable With: Hasco, Rectus Mould Series
 • Working Pressure: 0-35bar (500psi)
 • Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
Straight Hosetail Non Valved			
HMCH06/9	3/8" (9mm) Hosetail	9	9.00
HMCH08/13	1/2" (13mm) Hosetail	13	11.59
Straight Hosetail Valved			
HMCHV06/9	3/8" (9mm) Hosetail	9	9.34
HMCHV08/13	1/2" (13mm) Hosetail	13	10.80
45° Hosetail Non Valved			
HMCH0645/9	3/8" (9mm) Hosetail	9	14.18
HMCH0845/13	1/2" (13mm) Hosetail	13	16.54
45° Hosetail Valved			
HMCHV0645/9	3/8" (9mm) Hosetail	9	13.82
HMCHV0845/13	1/2" (13mm) Hosetail	13	15.24
90° Hosetail Non Valved			
HMCH0690/9	3/8" (9mm) Hosetail	9	13.56
HMCH0890/13	1/2" (13mm) Hosetail	13	15.58
90° Hosetail Valved			
HMCHV0690/9	3/8" (9mm) Hosetail	9	13.84
HMCHV0890/13	1/2" (13mm) Hosetail	13	14.40

CONTINUED ON NEXT PAGE

MOULD COUPLINGS

Mould Series Couplings



- Interchangeable With: Hasco
- Working Pressure: 0-35bar (500psi)
- Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
Non Valved Straight Through Plugs Male Thread BSPT			
HMA02/9	1/8" Male	9	0.84
HMA04/9	1/4" Male	9	0.84
HMA04/13	1/4" Male	13	0.96
HMA06/13	3/8" Male	13	1.01
HMH06/9	3/8" Hosetail	9	1.00
HMH08/13	1/2" Hosetail	13	1.06



Valved Plugs Male Thread BSPT			
HMAV04/9	1/4" Male	9	4.39
HMAV06/13	3/8" Male	13	4.50

Water Coupling - Brass



Part No.	Description	Price £
GKM08	1/2" BSPT Male	1.54
GKM12	3/4" BSPT Male	1.54
GKM16	1" BSPT Male	2.03
GKM20	1.1/4" BSPT Male	2.51
GKM24	1.1/2" BSPT Male	2.99
GKF08	1/2" BSPP Female	1.35
GKF12	3/4" BSPP Female	2.39
GKF16	1" BSPP Female	2.45
GKF20	1.1/4" BSPP Female	2.96
GKF24	1.1/2" BSPP Female	3.63
GKH08	1/2" Hosetail	1.30
GKH10	5/8" Hosetail	4.38
GKH12	3/4" Hosetail	1.78
GKH16	1" Hosetail	2.02
GKH20	1.1/4" Hosetail	3.18
GKH24	1.1/2" Hosetail	4.29
GKW01	GK Coupler Washer-Brass Coupler/Seal	0.52

Claw Couplings - Steel



Part No.	Description	Price £
CCM06	3/8" BSPT Male	1.51
CCM08	1/2" BSPT Male	1.51
CCM12	3/4" BSPT Male	1.72
CCM16	1" BSPT Male	1.66
CCF06	3/8" BSPP Female	2.04
CCF08	1/2" BSPP Female	2.48
CCF12	3/4" BSPP Female	2.03
CCF16	1" BSPP Female	2.78
CCH06	3/8" Hosetail	2.10
CCH08	1/2" Hosetail	2.10
CCH10	5/8" Hosetail	2.44
CCH12	3/4" Hosetail	1.91
CCH16	1" Hosetail	2.73
CCP01	Blanking Plug	4.88
CCW01	Washer/Seal	0.50

Triple Outlet Connector



Part No.	Description	Price £
GKY	Triple Outlet Connector	9.98

Blanking Cap



Part No.	Description	Price £
GKCAP	Blanking Cap	2.13

Safety Claw Couplings



- Working Pressure : 100psi
- Zinc & Yellow Passivated
- Complete with Safety Collar & Seal

Part No.	Description	Price £
CCH06S	3/8" (10mm) Hosetail	2.08
CCH08S	1/2" (12mm) Hosetail	1.40
CCH10S	5/8" (16mm) Hosetail	2.70
CCH12S	3/4" (19mm) Hosetail	1.09
CCH16S	1" (25mm) Hosetail	1.77

Safety Clamps



- Zinc & Yellow Passivated

Part No.	Hose O/D (mm)	Hose O/D (inch)	Price £
CP21/25S	21-25	1/2"	1.55
CP29/33S	29-33	3/4"	2.69
CP35/42S	35-42	1"	2.76

**PUSH-IN FITTINGS
ARE IN
SECTION 19**

