

Section 16

Tools, Oil & Sundries

	<u>Page No</u>
Teng Tools	388 - 390
Pop-Loc Range	391
Tyre Inflation Equipment	392 - 393
Fuelling Equipment & Accessories NEW	394 - 395
Loctite Adhesives and Sealants	396 - 397
Leak Detector	398
Hydraulic Oil	398
Airline Lubrication Oil	398
WD-40 Lubricant	398
Hand Cleaner	398
PTFE Tape	398
Tube Cutters	398
Rubber Bonded Washers	399
PVC Safestrip NEW	400

All tools bearing the name Teng Tools have been designed and manufactured to meet or exceed ISO, DIN and other International standards. Teng Tools International is fully ISO9002 certified and uses ISO9001 assessed production facilities. Teng Tools products, are designed to be used by professionals and are fully supported by the "Everlasting Power Guarantee".

All Teng Tools are designed with features that have become known as "Typically Teng", many of which have been patented and/or design protected. Features that include ratchets with quick release and flip reverse, ISO certified torque wrenches with in-built angular gauges, screwdrivers with 'T' drive, hardened tips and ergonomically designed grips, pliers with titanium coated joints, sockets and spanners with the hip grip drive system for increased torque - all features that improve performance and efficiency.

All of these features combine in the unique Teng Tools TC tray tool control system with individual tool sets interlocking with dove tail joints to give almost unlimited choice of tool kit compilations based on a wide range of tool boxes and cabinets.

Other tools are available, please contact you distributor for further details.



TOOL SETS


TOOL SET COMPLETE WITH STORAGE TRAY



PART NO.	DESCRIPTION	PRICE
TT440	Mega Bite combination side cutting, long nose and water pump pliers	£43.00



MECCA ROSSO SOCKET SET		
PART NO.	DESCRIPTION	PRICE
TTMR1436	36 pc 1/4" drive Mecca Rosso regular/deep metric socket set covering 4 to 13 mm	£47.00



SOCKET SET		
PART NO.	DESCRIPTION	PRICE
TT111-6	111 pc 1/4", 3/8" and 1/2" drive metric/AF Jumbo socket set covering 4 to 32 mm & 5/32" to 1.1/4"	£210.00



12 PIECE SCREWDRIVER SET		
PART NO.	DESCRIPTION	PRICE
TTMD912	12 pc Mega Drive screwdriver set including flat, PH and PZ types	£43.00

TOOL SETS

TOOL SET COMPLETE WITH STORAGE TRAY



PART NO.	DESCRIPTION	PRICE
TTMB441	6" side cutting plier	£11.90



TTMB442	8" heavy duty side cutting plier	£12.90
---------	----------------------------------	--------



TTMB451	7" combination plier	£12.90
---------	----------------------	--------



TTMB461	6" long nose plier	£10.90
---------	--------------------	--------



TTMB481	10" water pump plier	£12.92
---------	----------------------	--------

POWER GRIP PLIERS



TT401	10" curved jaw power grip plier	£12.00
-------	---------------------------------	--------

CIRCLIP PLIERS



TT480	5 pc circlip plier set with magnetic tips	£12.00
-------	---	--------

MAGNETIC TOOLS



TTSD501	Telescopic magnetic pick up pen	£ 5.60
---------	---------------------------------	--------

OIL SERVICE TOOLS



TTFG21	21 blade metric feeler gauge	£ 6.40
--------	------------------------------	--------

TOOL SETS

AF METRIC COMBINATION SPANNERS



PART NO.	DESCRIPTION	PRICE
TT600506	6 mm	£ 3.60
TT600508	8 mm	£ 3.60
TT600510	10 mm	£ 3.70
TT600512	12 mm	£ 3.80
TT600515	15 mm	£ 4.70
TT600520	20 mm	£ 7.10
TT600525	25 mm	£10.60
TT600530	30 mm	£14.70

ADJUSTABLE GAUGE WRENCH - PHOSPHATE FINISH



TT4002	6"	£10.70
TT4003	8"	£11.90
TT4004	10"	£16.00
TT4005	12"	£21.00

BALL POINT / HEXAGON KEY SET - IMPERIAL



TT1474	7 pc ball point AF hex key set covering 1/8" to 3/8"	£10.60
--------	--	--------

BALL POINT / HEXAGON KEY SET - METRIC



TT1475	7 pc ball point metric hex key set covering 2.5 to 10 mm	£10.60
--------	--	--------

The combinations and flexibility offered by Pop-Loc shows that whatever your cooling hose requirements might be, there is a Pop-Loc configuration to meet most demands. Pop-Loc is manufactured in a premium grade acetal copolymer material, which is chemically resistant to petroleum products, coolants & most common chemicals.






















FEATURES

- Ball and socket design is fully hand-adjustable in both position and length
- Pop-Loc will not damage machine tool cutters if contact occurs
- Has no internal positioning rod that can break or restrict fluid flow
- Repeated positioning is easy and will stay in position.
- Available in 1/4", 1/2" and 3/4" diameter





RECOMMENDED FLOW RATES

The following Maximum flow rates are recommended to avoid hose jetting. 1/4" POP-LOC - 16 Litres/Min.

POP-LOC FITTINGS		1/4" SYSTEM - 1/4" INSIDE DIAMETER 30-50 PSI		
		PART NO.	DESCRIPTION	PRICE
		LL41401	Segment Pack containing 2 x 5.3/4" pcs	£ 6.57
LL41401		LL49420	Bulk Segment Pack 25ft.	£122.31
	LL49420	LL41404	4 x Rounded Nozzles 1/4"	£ 4.41
LL41404		LL41408	2 x Y Fittings 1/4"	£ 6.57
	LL41408	LL41409	4 x Double Sockets 1/4"	£ 4.83
LL41409		LL41472	4 x 90° Nozzles 1/4"	£ 6.12
	LL41472	LL41473	2 x 90° Spray Bar Nozzles 1/4"	£ 6.57
LL41473		LL41406	4 x NPT Connectors 1/4"	£ 4.41
	LL41406	LL41414	4 x Flare Nut Adaptors 1/4"	£ 6.57
LL41414		LL41415	2 x Elbow Fittings 1/4"	£ 6.12
	LL41415	LL41476	4 x Extended Elements 1/4"	£ 9.77
LL41476		LL41416	2 x T Fittings 1/4"	£ 7.34
	LL41416	LL41477	4 x Element Clamps 1/4"	£ 7.29
LL41477		THREADED COUPLINGS AND REDUCERS		
	40657	40657	4 x Female Pipe Couplings 1/4"	£ 3.97
78001		PLIERS		
	21191	78001	Hose Assembly Pliers 1/4"	£10.15
21192		IN-LINE CHECK VALVES		
	21193	21191	2 x In-Line Check Valves 1/4"	£11.03
21194		1/4" PLASTIC VALVES		
		21192	2 x Male NPT Valves 1/4"	£11.03
		21193	2 x Female NPT Valves 1/4"	£11.03
		21194	2 x In-Line Valves 1/4"	£11.03

PCL provide a wide range of tyre valve connectors. They can be used on car tyres, commercial vehicles or for general industrial applications. There are two types of connector available. Closed end or open end. Closed end connectors are used when air is supplied directly from a main line ie: compressor or receiver. A non-return valve unseats on connection to a tyre valve allowing air to flow to the tyre. The open end connectors are used with air line gauges, wall gauges, tyreair portair, and pavement gauges. This connector has a pin which unseats the tyre valve when in use.

- Hardened steel locking grip, thumb activated
- Supplied with an integral tailpiece, available for different hose bore sizes
- Single hold on ball foot connector allows access where space is limited



TYRE VALVE CONNECTORS		SINGLE CLIP-ON TAILPIECES	
PART NO.	DESCRIPTION	PRICE	
	C02H03	Open end tailpiece for 6.35 mm (1/4") bore hose	£ 5.60
	C02J03	Closed end tailpiece for 6.35 mm (1/4") bore hose	£ 5.60
	C02E03	Open end tailpiece for 4.75 mm (3/16") bore hose	£ 5.60
	C02F03	Closed end tailpiece for 4.75 mm (3/16") bore hose	£ 5.60
BALL FOOT CHUCK WITH INTEGRAL TAILPIECE			
	C0671	Closed end tailpiece for 4.75 mm (3/16") bore hose	£ 4.20
EURO STYLE SINGLE CLIP-ON			
	C08E72	Open end for 4.75 mm (3/16") bore hose	£ 4.20
SCREW-ON			
	C09H03	8V Open end for 6.35 mm bore hose	£12.55
	C09P03	8V Open end for 1/4" bore hose	£12.55
	C010H03	12V Open end for 6.35 mm bore hose	£12.55
	C010P03	12V Open end for 1/4" bore hose	£12.55

TYRE INFLATOR

- Guaranteed accuracy, compliant to BSEN 12645:1999 standard
- Fully approved to EC 86/217

TWIN VALVE CONNECTORS


- Easy locking action to securely fasten onto valve system

TYRE INFLATION EQUIPMENT		TYRE INFLATOR	
PART NO.	DESCRIPTION	PRICE	
	PEMT	Twin push-on connector, metric / imperial gauge ALG-3H03 Dual calibration 0-120 psi (0-850 kpa)	£62.30
TWIN VALVE CONNECTORS			
	CACO1A03	Twin hold-on connector (open end)	£ 9.20
	CACO1B03	Twin hold-on connector (closed end)	£ 9.20
	CACO3A03	Twin clip-on connector (open end)	£21.25
	CACO3B03	Twin clip-on connector (closed end)	£21.25

TYRE PRESSURE GAUGE

PCL manufacture a wide range of high quality tyre pressure gauges. The tyre pressure gauge head and tube are manufactured from solid, heavy duty alloy and are all stamped to show the various calibrations with easy to read figures. The gauges incorporate a self-adjusting friction device enabling pressure to be easily read when the gauge is taken off the valve. A positive sealing washer ensures reliability.

TYRE PRESSURE GAUGE

	PART NO.	DESCRIPTION	PRICE
	TPG1H01	Pocket type angled head dual calibrated 6 to 50 lbf/in ² in 1lb units and 0.5 to 3.4 bar in 0.1 bar units	£ 4.60

TYRE DEPTH GAUGE

- Accurate measurement of tyre tread 1-26mm increments in 1.0mm inc (in 1.6mm mark)
- Accepted in the UK by Department of Transport for MOT testing


TREAD DEPTH GAUGE

	PART NO.	DESCRIPTION	PRICE
	TDG16C05	Complies with EC Directive 89/459/EEC. 1.6mm marking	£ 3.20



TYRE VALVE TOOL

- Rethreads inside and outside of the valve stem
- Removes valve core and extracts damaged cores


TYRE VALVE TOOL

	PART NO.	DESCRIPTION	PRICE
	TVT05	4 in 1 Tyre Valve Tool	£ 2.30


NOZZLES AND HOSES

	PART NO.	DESCRIPTION	PRICE
	NOZ.S2	Aluminium manual nozzle 1" BSP female c/w swivel <ul style="list-style-type: none"> • Max pressure 50 PSI (3.5 bar), Max flow rate 80 l/min • Cast aluminium body • Suitable for diesel or gasoil • Can be used with pumps or gravity feed tanks 	£22.02
	GK3.LS	3m Hose, aluminium nozzle, locking gate valve	£61.95
	GK4.LS	4m Hose, aluminium nozzle, locking gate valve <ul style="list-style-type: none"> • Provides simple & quick diesel dispensing from gravity tanks • 25mm bore diesel delivery hose 	£67.46




HAND PUMPS

	PART NO.	DESCRIPTION	PRICE
	LEVER.S	Lever barrel pump 2" BSP male threaded barrel adaptor <ul style="list-style-type: none"> • Dispenses approx 0.45 litres per stroke, approx 16 l/min • Two piece telescopic suction pipe adjusts to barrel depth <ul style="list-style-type: none"> • Suitable for fuels and oils up to SAE 90 • Suitable for Diesel (Not to be used with Petrol) 	£24.32

ELECTRIC PUMPS

	PART NO.	DESCRIPTION	PRICE
	12KIT 24KIT	12V portable dispensing kit 24V portable dispensing kit <ul style="list-style-type: none"> • 40 l/min pump with switch • Empties 205 litre drum in approx 5 mins • 2m suction hose & strainer, 4m delivery hose with robust swaged ends • Aluminium trigger nozzle with inlet swivel • 2m battery cable & croc clips <ul style="list-style-type: none"> • Weatherproof to IP54, for outdoor use. Foot mounting plate • Suitable for Diesel (Not to be used with Petrol) 	£240.00 £240.00

DRUM EQUIPMENT

	PART NO.	DESCRIPTION	PRICE
	BUND.B1	2 Drum banded sump pallet - complies to regulation PPG26 <ul style="list-style-type: none"> • Steel retaining sump for the storage of one or two drums • Contains any spillage or leaks from the drums • Length 1220mm x Width 810mm x Height 350mm • Weight 60kgs, capacity 230 litres 	£428.80
	DT3P	Polyethylene drum tap, 3/4" <ul style="list-style-type: none"> • Use with a wide range of oils, acids and caustics • 3/4" BSP male thread with sealing washer • Stay open operation 	£ 2.24
	DT3H	Brass (nickel plated) drum tap, 3/4" BSP male thread <ul style="list-style-type: none"> • May be padlocked in the closed position 	£ 7.68

SEALANTS AND ABSORBENTS

	PART NO.	DESCRIPTION	PRICE
	ABKIT.01	Vehicle spill kit - will soak up 12 litres in total <ul style="list-style-type: none"> • Kit contains - 7 pads 510mm x 410mm, 1 sock 760mm x 1200mm, 1 leak plug compound 1kg, 1 pair of gloves, 2 disposable bags & ties 	£111.97
	ABKIT.02	Vehicle spill kit - will soak up 50 litres in total <ul style="list-style-type: none"> • Kit contains - 30 pads 510mm x 410mm, 3 socks 760mm x 1200mm, 3 pillows 380mm x 230mm, 1 pair of goggles, 5 disposable bags & ties 	£147.07
	ABROLLO	Absorbent roll (pack of two) total 88m <ul style="list-style-type: none"> • Made from melt-blown polypropylene • Whole roll absorbs up to 288ltrs • Absorbs oils and fuels while repelling water 	£250.18
	ABPLUG	Leak plugger compound, 1kg tub <ul style="list-style-type: none"> • Use as a temporary repair on leaking pipes, tanks or fittings • Temporary repair lasts for up to 24 hours only • No mixing, apply to the hole & smooth the edges to seal 	£31.84

THREADLOCKING - Locking of Threaded Fasteners

- Resists vibration • Single part - clean and easy to apply
- Can be used on all sizes of fasteners - reduces inventory costs • Seals threads allows through-hole tapping

Series	Size of Thread	Strength	Functional Strength @22°C	Breakaway Torque M10 Bolts	Long-Term Temp. Resistance
222	Up to M 36	Low	6 hrs	6 Nm	+150°C
2701	Up to M 20	High	6 hrs	38 Nm	+150°C



222 SERIES		
PART NO.	SIZE	PRICE
LT222-5	50 ml	£25.13



2701 SERIES		
PART NO.	SIZE	PRICE
LT2701-5	50 ml	£26.40

PIPE AND THREAD SEALING - Sealing of Threaded Components

- Provide an instant, low pressure seal for all types of pipe connections
- Will not creep, shrink or block systems (including filters) by shredding
- Disassembly can be achieved easily with normal tools • Replace all tapes and hemp/pastes combinations

Series	Maximum Thread Size	Temperature Resistance	Disassembly Strength	Substrate to be Sealed	Instant Low Pressure Seal
5331	3"	+150°C	Low	Metal, Plastic or both	Yes
542	3/4"	+150°C	Medium	Metal	No
572	3"	+150°C	Medium	Metal	No
577	3"	+150°C	Medium	Metal	Yes



5331 SERIES		
PART NO.	SIZE	PRICE
LT5331-10	100 ml	£12.75



542 SERIES - HYDRAULIC AND PNEUMATIC		
PART NO.	SIZE	PRICE
LT542-5	50 ml	£25.13



572 SERIES - SLOW CURE		
PART NO.	SIZE	PRICE
LT572-5	50 ml	£13.21



577 SERIES - GENERAL PURPOSE		
PART NO.	SIZE	PRICE
LT577-5	50 ml	£17.25

RETAINING - Securing Cylindrical Assemblies

- High and moderate strength products - can carry high loads and eliminate fretting
- Fill all voids - prevent corrosion
- Reduce the need for close tolerances
- 100% contact - load and stress is distributed evenly over the joint

Series	Strength Required	Handling Strength	Diametrical Clearance	Temperature Resistance
638	High	5 Min.	Up to 0.25 mm	150°C



638 SERIES		
PART NO.	SIZE	PRICE
LT638-5	50 ml	£25.13

INSTANT BONDING

- Fixtures in seconds
- Clear bond line - good cosmetic appearance
- Versatile - dissimilar materials can be bonded
- High strength - often giving a bond stronger than the material being bonded
- Small parts bonding

Series	Operating Temperature	Fixture Time	Viscosity mPa.s	Main Uses
401	Up to 80°C	5-20 seconds	110	Porous Substrates
406	Up to 80°C	10-20 seconds	20	Plastics
454	Up to 80°C	5-20 seconds	Gel	Porous Substrates



401 SERIES		
PART NO.	SIZE	PRICE
LT401-20	20 g	£17.64



454 SERIES		
PART NO.	SIZE	PRICE
LT454-20	20 g	£20.28



406 SERIES		
PART NO.	SIZE	PRICE
LT406-20	20 g	£17.64

CLEANING

- Clean components prior to using Loctite Adhesives / Sealants
 - Clean and degrease worktops and parts
 - Remove cured Sealant residue







7063 SERIES		
PART NO.	SIZE	PRICE
LT7063-40	400 ml aerosol	£ 8.53



LEAK DETECTOR, OILS AND HAND CLEANER

	PART NO.	DESCRIPTION	PRICE
	LC8515073	LEAK DETECTOR 400 ml	£ 6.60
	H05L	GRADE 32 HM TYPE HYDRAULIC OIL - 5 LTR DRUM	£ 7.70
	H25L	GRADE 32 HM TYPE HYDRAULIC OIL - 25 LTR DRUM	£34.00
	H01LL	GRADE 22 HM TYPE LUBRICATION OIL - 1 LTR BOTTLE	£ 2.20
	H05LL	GRADE 22 HM TYPE LUBRICATION OIL - 5 LTR DRUM	£ 8.00
	Q44101	WD-40 UNIVERSAL LUBRICANT 100 ml Aerosol	£ 1.50
	Q44102	WD-40 UNIVERSAL LUBRICANT 200 ml Aerosol	£ 2.00
	Q44104	WD-40 UNIVERSAL LUBRICANT 400 ml Aerosol	£ 2.90
	TU-HC1LT	Citrus hand cleaner with polycarbonate chips. 1 ltr tub	£ 4.50
	PTFE TAPE	Thread Sealing Tape 12 metres x 12 mm x 0.075	£ 0.48

TUBE CUTTERS

	PART NO.	DESCRIPTION	PRICE
	TC-14	<ul style="list-style-type: none"> • Easy and safe to use • Cut is always exact cross section • Tube is never deformed after cut • Cuts up to 9/16" (14mm tubing) 	£ 4.00
	PNZ-12 PNZ-25 S209-026	Plier Type Plier Type Replacement Blade (PNZ-25)	£14.08 £15.37 £ 6.86
	RR70001	CDS Tube cutters for sizes 3 to 16 mm	£ 9.10
	RR70027	CDS Tube cutters for sizes 6 to 35 mm	£25.80

BONDED WASHERS - METRIC


PART NO.	THREAD SIZE	PRICE
D400 002 02	4 mm	£ 0.24
D400 003 02	5 mm	£ 0.24
D400 004 02	6 mm	£ 0.25
D400 007 02	8 mm	£ 0.32
D400 008 02	10 mm	£ 0.38
D400 021 02	12 mm	£ 0.30
D400 009 02	14 mm	£ 0.32
D400 011 02	16 mm	£ 0.36
D400 012 02	18 mm	£ 0.36
D400 025 02	20 mm	£ 0.37
D400 028 02	22 mm	£ 0.46
D400 031 02	24 mm	£ 0.58
D400 035 02	26 mm	£ 0.67

BONDED WASHERS - IMPERIAL


PART NO.	TO FIT MALE BSPP	INSIDE DIA. mm	PRICE
D400 020 02	1/8"	10.37	£ 0.24
D400 021 04	1/4"	13.74	£ 0.24
D400 023 06	3/8"	17.28	£ 0.26
D400 025 08	1/2"	21.54	£ 0.30
D400 026 10	5/8"	23.49	£ 0.40
D400 027 12	3/4"	27.05	£ 0.40
D400 030 16	1"	33.89	£ 0.55
D400 032 20	1.1/4"	42.93	£ 1.16
D400 033 24	1.1/2"	48.44	£ 1.30
D400 036 32	2'	60.58	£ 2.20

BONDED WASHER KITS


D400 999 003	Imperial Bonded Seal Kit - 1/8" to 1" 140 Assorted Types	£48.50
D400 999 005	Metric Bonded Seal Kit - 10 mm to 24 mm 140 Assorted Types	£48.50

'O' RING SEAL KITS


D400 999 001	Imperial 'O' Ring Seal Kit 382 Assorted Types	£29.70
D400 999 002	Metric 'O' Ring Seal Kit 404 Assorted Types	£29.70



PVC Safestrip is already a market leader, both at home and overseas. PVC Safestrip is made in a high quality, low toxic, Cadmium free PVC material offering extremely good clarity and consistency of colour tint and dimensional tolerances.

PVC Safestrip is used for internal and external thermal partitions, for a barrier against fumes, dust or flying insects, birds etc. It is used for reduction of noise levels between production areas in factories. Quiet areas, for example areas for Quality Inspection in an otherwise noisy environment.

PVC Safestrip will resist the continual passage of vehicular traffic and has proved to be the Number One choice of specifiers where abrasion resistance is required.

Standard - The Industrial grade suitable for external and internal doorways in factories and warehouses, it is also suitable for internal screens and partitions.

Coldstore/Super Polar - Suitable for use in chill room, freeze rooms and refrigerated vehicles.

Buffer - Standard grade material featuring raised buffers. It is recommended for use where there is regular impact from forklift trucks and vehicles.

Welding - Tinted to inhibit welding flash. Used on internal partitions, welding booths and mobile welding screens.



PVC SAFESTRIP

STANDARD QUALITY

PART NO.	COLOUR	WIDTH mm	THICKNESS mm	TEMPERATURE RANGE	PRICE 50 metres
CS100-1	Clear	100	1	-5°C to +60°C	£73.28
CS100-2	Clear	100	2	-5°C to +60°C	£119.07
CS200-2	Clear	200	2	-5°C to +60°C	£141.02
CS200-3	Clear	200	3	-5°C to +60°C	£223.46
CS300-2	Clear	300	2	-5°C to +60°C	£223.46
CS300-3	Clear	300	3	-5°C to +60°C	£320.54
CS400-3	Clear	400	3	-5°C to +60°C	£428.61
CS400-4	Clear	400	4	-5°C to +60°C	£582.46
KS300-3	Black	300	3	-5°C to +60°C	£357.18
OS300-3	Orange	300	3	-5°C to +60°C	£357.18
OS400-3	Orange	400	3	-5°C to +60°C	£474.40
OS400-4	Orange	400	4	-5°C to +60°C	£646.59



COLDSTORE QUALITY

CF100-1	Clear	100	1	-15°C to +20°C	£80.61
CF200-2	Clear	200	2	-15°C to +20°C	£159.36
CF300-2	Clear	300	2	-15°C to +20°C	£249.12
CF300-3	Clear	300	3	-15°C to +20°C	£357.18
CF400-3	Clear	400	3	-15°C to +20°C	£474.40
CF400-4	Clear	400	4	-15°C to +20°C	£646.59



SUPER POLAR QUALITY

SCF200-2	Clear	200	2	-35°C to +10°C	£168.51
SCF300-3	Clear	300	3	-35°C to +10°C	£379.17
SCF400-4	Clear	400	4	-35°C to +10°C	£685.06

HEAVY DUTY BUFFER STRIP

BS300-3	Clear	300	3	-5°C to +60°C	£655.74
BS400-4	Clear	400	4	-5°C to +60°C	£1185.09



MEDIUM DUTY BUFFER STRIP

BSL200-2	Clear	200	2	-5°C to +60°C	£379.17
BSL300-2	Clear	300	2	-5°C to +60°C	£562.34



WELDING STRIP

GS300-2	Green tint	300	2	-5°C to +60°C	£266.69*
BRS300-2	Bronze tint	300	2	-5°C to +60°C	£249.12

*Green tint welding strip price per 52 metres

HANGING SYSTEM

PART NO.	COLOUR	SIZE	PRICE
SSRAIL	Steel	984 mm	£14.56
SS200	Steel	200 mm	£ 2.69
SS300	Steel	300 mm	£ 3.46
SS400	Steel	400 mm	£ 4.93

